



Update stocks on TooEasy API documentation



```

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
",
"expires_in": 3600,
"token_type": "Bearer",
"scope": "ApiGateway tooeasy.logistics.api"
}

```

Update-stocks

Update-stocks is used to send the new inventory stocks data from External Provider to TooEasy system.

Update-Stocks is a request post.

This is the resource URL:

```
api/async/v1/logistics/stocks/update-stocks?logisticId={IdLogistic}&importFileType=Qty
```

IdLogistic identify the warehouse. This settings will be send to the provider, upon activation.

The request need a json which has the following structure:

```
[
  {
    "sku ": "1234_56666",
    "qty": 1,
  }
]
```

Field	Type	Description
sku	string	SKU (Custom label)
qty	int	The new available quantity

If the communication succeeds, an empty array is returned.



Data Request Example

```
[
  {
    {"sku": "SKU_1","qty": 5 },
    {"sku": "SKU_2","qty": 15 },
    {"sku": "SKU_3","qty": 0 }
  }
]
```

Error Responses

If there are some errors inside the request, the response has the following structure

```
[
  {
    "sku": "SKU_2",
    "is_addition": false,
    "stock_errors": [
      {
        "error_code": "NotNullValidator",
        "error_message": "'Quantità' non può essere vuoto."
      }
    ]
  }
]
```

The response contains the reference to product data and information about the error.



Here an example of a json error:

```
{
  "sku": "SKU_2",
  "is_addition": false,
  "stock_errors": [
    {
      "error_code": "NotNullValidator",
      "error_message": "'Quantità' non può essere vuoto."
    }
  ]
},
{
  "qty": 5.0,
  "is_addition": false,
  "stock_errors": [
    {
      "error_code": "NotNullValidator",
      "error_message": "'Sku' non può essere vuoto."
    },
    {
      "error_code": "MISSING-SKU",
      "error_message": "Impostare uno sku e riprovare"
    }
  ]
}
]
```